

Physical Dimensions

Model #	Description	A	B	C	D
3P-020-M02-P	Metal Bowl, Manual Drain	3.0	6.8	3.0	1.5
3P-020-M02-F	Metal Bowl, Float Drain	3.0	6.8	3.0	1.5
3P-020-M02-Fi	Metal Bowl, Float Drain w/Indicator	3.0	7.5	3.0	1.5
3P-020-P02-P	Poly Bowl, Manual Drain	3.0	6.8	3.0	1.5
3P-020-P02-F	Poly Bowl, Float Drain	3.0	6.8	3.0	1.5
3P-020-P02-Fi	Poly Bowl, Float Drain w/Indicator	3.0	7.5	3.0	1.5

Specifications

Port Sizes	1/4"
Thread Styles	NPT, BSPT, BSPP
Flow Capacity	20 SCFM @ 100 PSI
Bowl Types	Aluminum Polycarbonate
Maximum Temp. & Pressure*	Aluminum 175°F, 200 PSIG Polycarb. 125°F, 150 PSIG
Filter Capacity	1.0 Micron and Larger
Differential Pressure	< 5.0 PSID at Rated Flow

*For higher pressure applications, consult factory. If unit is equipped with differential indicator, maximum temperature and pressure are 125°F and 150 PSIG regardless of bowl design.


Order Guide

	Port Size	Metal Bowl	Metal Bowl w/Indicator	Poly Bowl	Poly Bowl w/Indicator
Manual Drain	1/4"	3P-020-M02-P	3P-020-M02-Pi	3P-020-P02-P	3P-020-P02-Pi
	1/4"	3P-020-M02-P	3P-020-M02-Pi	3P-020-P02-P	3P-020-P02-Pi
Float Drain	1/4"	3P-020-M02-F	3P-020-M02-Fi	3P-020-P02-F	3P-020-P02-Fi
	1/4"	3P-020-M02-F	3P-020-M02-Fi	3P-020-P02-F	3P-020-P02-Fi

Replacement Parts & Accessories

Description	Part Number
Bowl O-Ring	N32-95-009
Metal Bowl Assembly, Plastic Float Drain	N32-95-950
Differential Indicator	N32-W1-DPi
Manual Drain	N32-95-182
Brass Float Drain	N32-95-978
Plastic Float Drain	N32-95-973

Description	Part Number
Replacement Element	3P-020
Blanking Cap	N32-95-020
Metal Bowl, Manual Drain	N32-95-178
Manual Flex Drain	N32-95-610
Low Flow Plastic Drain	N32-96-400
Poly Bowl, Plastic Float Drain	N32-15-160



Physical Dimensions

Model #	Description	A	B	C	D
3P-060-M04-P	Metal Bowl, Manual Drain	3.8	10.0	3.8	2.0
3P-060-M04-F	Metal Bowl, Float Drain	3.8	10.5	3.8	2.0
3P-060-M04-Fi	Metal Bowl, Float Drain w/Indicator	3.8	11.5	3.8	2.0
3P-060-P04-P	Poly Bowl, Manual Drain	3.8	10.0	3.8	2.0
3P-060-P04-F	Poly Bowl, Float Drain	3.8	10.5	3.8	2.0
3P-060-P04-Fi	Poly Bowl, Float Drain w/Indicator	3.8	11.5	3.8	2.0

Physical dimensions for the 35 SCFM units are identical to the 60 SCFM units.

Specifications

Port Sizes	1/4", 3/8", 1/2"
Thread Styles	NPT, BSPT, BSPP
Flow Capacity	35 & 60 SCFM @ 100 PSI
Bowl Types	Aluminum Polycarbonate
Maximum Temp. & Pressure*	Aluminum 175°F, 200 PSIG Polycarb. 125°F, 150 PSIG
Filter Capacity	1.0 Micron and Larger
Differential Pressure	< 5.0 PSID at Rated Flow


*For higher pressure applications, consult factory. If unit is equipped with differential indicator, maximum temperature and pressure are 125PF and 150 PSIG regardless of bowl design.

Order Guide

	Port Size	Metal Bowl	Metal Bowl w/Indicator	Poly Bowl	Poly Bowl w/Indicator
Manual Drain	1/4"	3P-060-M02-P	3P-060-M02-Pi	3P-060-P02-P	3P-060-P02-Pi
	3/8"	3P-060-M03-P	3P-060-M03-Pi	3P-060-P03-P	3P-060-P03-Pi
	1/2"	3P-060-M04-P	3P-060-M04-Pi	3P-060-P04-P	3P-060-P04-Pi
Float Drain	1/4"	3P-060-M02-F	3P-060-M02-Fi	3P-060-P02-F	3P-060-P02-Fi
	3/8"	3P-060-M03-F	3P-060-M03-Fi	3P-060-P03-F	3P-060-P03-Fi
	1/2"	3P-060-M04-F	3P-060-M04-Fi	3P-060-P04-F	3P-060-P04-Fi
Manual Drain	1/4"	3P-035-M02-P	3P-035-M02-Pi	3P-035-P02-P	3P-035-P02-Pi
	3/8"	3P-035-M03-P	3P-035-M03-Pi	3P-035-P03-P	3P-035-P03-Pi
	1/2"	3P-035-M04-P	3P-035-M04-Pi	3P-035-P04-P	3P-035-P04-Pi
Float Drain	1/4"	3P-035-M02-F	3P-035-M02-Fi	3P-035-P02-F	3P-035-P02-Fi
	3/8"	3P-035-M03-F	3P-035-M03-Fi	3P-035-P03-F	3P-035-P03-Fi
	1/2"	3P-035-M04-F	3P-035-M04-Fi	3P-035-P04-F	3P-035-P04-Fi

Replacement Parts & Accessories

Description	Part Number	Description	Part Number
Bowl O-Ring	N32-95-257	Replacement Element	3P-060, 3P-035
Metal Bowl Assembly, Brass Float Drain	N34-95-200	Blanking Cap	N32-95-020
Differential Indicator	N32-W1-DPi	Manual Drain (for Metal Bowl)	PC-02
Manual Drain (for Poly Bowl)	N32-95-182	Poly Bowl, Brass Float Drain	N32-15-164
Brass Float Drain	N32-95-978	Poly Bowl, Plastic Float Drain	N32-15-165
Plastic Float Drain	N32-95-973		
Manual Flex Drain	N32-95-610		



Physical Dimensions

Model #	Description	A	B	C	D
3P-090-M06-P	Metal Bowl, Manual Drain	4.6	16.75	4.6	2.4
3P-090-M06-F	Metal Bowl, Float Drain	4.6	17.5	4.6	2.4
3P-090-M06-Fi	Metal Bowl, Float Drain w/Indicator	4.6	19.0	4.6	2.4
3P-090-P06-P	Poly Bowl, Manual Drain	4.6	14.0	4.6	2.4
3P-090-P06-F	Poly Bowl, Float Drain	4.6	14.5	4.6	2.4
3P-090-P06-Fi	Poly Bowl, Float Drain w/Indicator	4.6	15.0	4.6	2.4

Physical dimensions for the 150 SCFM units are identical to the 90 SCFM units.

Specifications

Port Sizes	1/2", 3/4", 1"
Thread Styles	NPT, BSPT, BSPP
Flow Capacity	90 & 150 SCFM @ 100 PSI
Bowl Types	Aluminum Polycarbonate
Maximum Temp. & Pressure*	Aluminum 175°F, 200 PSIG Polycarb. 125°F, 150 PSIG
Filter Capacity	1.0 Micron and Larger
Differential Pressure	< 5.0 PSID at Rated Flow

*For higher pressure applications, consult factory. If unit is equipped with differential indicator, maximum temperature and pressure are 125°F and 150 PSIG regardless of bowl design.

Order Guide

	Port Size	Metal Bowl	Metal Bowl w/Indicator	Poly Bowl	Poly Bowl w/Indicator
Manual Drain	1/2"	3P-090-M04-P	3P-090-M04-Pi	3P-090-P04-P	3P-090-P04-Pi
	3/4"	3P-090-M06-P	3P-090-M06-Pi	3P-090-P06-P	3P-090-P06-Pi
	1"	3P-090-M08-P	3P-090-M08-Pi	3P-090-P08-P	3P-090-P08-Pi
Float Drain	1/2"	3P-090-M04-F	3P-090-M04-Fi	3P-090-P04-F	3P-090-P04-Fi
	3/4"	3P-090-M06-F	3P-090-M06-Fi	3P-090-P06-F	3P-090-P06-Fi
	1"	3P-090-M08-F	3P-090-M08-Fi	3P-090-P08-F	3P-090-P08-Fi
	Port Size	Metal Bowl	Metal Bowl w/Indicator	Poly Bowl	Poly Bowl w/Indicator
Manual Drain	1/2"	3P-150-M04-P	3P-150-M04-Pi	3P-150-P04-P	3P-150-P04-Pi
	3/4"	3P-150-M06-P	3P-150-M06-Pi	3P-150-P06-P	3P-150-P06-Pi
	1"	3P-150-M08-P	3P-150-M08-Pi	3P-150-P08-P	3P-150-P08-Pi
Float Drain	1/2"	3P-150-M04-F	3P-150-M04-Fi	3P-150-P04-F	3P-150-P04-Fi
	3/4"	3P-150-M06-F	3P-150-M06-Fi	3P-150-P06-F	3P-150-P06-Fi
	1"	3P-150-M08-F	3P-150-M08-Fi	3P-150-P08-F	3P-150-P08-Fi

Replacement Parts & Accessories

Description	Part Number	Description	Part Number
Metal Bowl Assembly, Brass Float Drain	N34-15-179	Replacement Element	3P-090, 3P-150
Differential Indicator	N32-W1-DPi	Blanking Cap	N32-95-020
Manual Drain (for Poly Bowl)	N32-95-182	Manual Drain (for Metal Bowl)	PC-03
Brass Float Drain	N32-95-978	Bowl O-Ring	N32-95-256
Plastic Float Drain	N32-95-973	Poly Bowl, Brass Float Drain	N32-15-166